ELSEVIER

Gene 181 (1996) 237–239

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index, Vol. 181 (1996)

Abken, H., see Reifenrath-Biesel, B. (181) 135
Acland, G.M., see Wang, W. (181) 1
Aguirre, G.D., see Wang, W. (181) 1
Aida, T., see Asayama, M. (181) 213
Akopiants, K.E., see Sizova, I.A. (181) 13
Alexandrova, N.N., see Sizova, I.A. (181) 13
Andrews, M.T., see Bauer, V.W. (181) 63
Arai, K.-i., see Ikeda, M. (181) 167
Asayama, M., Tanaka, K., Takahashi, H., Sato, A., Aida, T. and Shirai, M.
Cloning, sequencing and characterization of the gene encoding a principal sigma factor homolog from the cyanobacterium *Microcystis aeruginosa* K-81 (181) 213
Azam, A., Paul, J., Sehgal, D., Prasad, J., Bhattacharya, S. and Bhattacharya, A.
Identification of novel genes from *Entamoeba histolytica* by expressed sequence tag analysis (181) 113

Bauer, V.W., Swaffield, J.C., Johnston, S.A. and Andrews, M.T.
CADp44: a novel regulatory subunit of the 26S proteasome and the mammalian homolog of yeast Sug2p (181) 63
Berg, E.L., see Tsurushita, N. (181) 219
Bhattacharya, A., see Azam, A. (181) 113
Bhattacharya, S., see Azam, A. (181) 113
Bjerknes, M. and Cheng, H.
TCFL4: a gene at 17q21.1 encoding a putative basic helix-loop-helix leucine-zipper transcription factor (181) 7
Blahůšková, A., see Folk, P. (181) 229
Blunt, D.S., Montelone, B.A., Upton, S.J. and Khramtsov, N.V.
Sequence of the parasitic protozoan, *Cryptosporidium parvum*, putative protein disulfide isomerase-encoding DNA (181) 221
Braun, V., Hundsberger, T., Leukel, P., Sauerbord, M. and Eichel-Streiber, C. von
Definition of the single integration site of the pathogenicity locus in *Clostridium difficile* (181) 29
Brennan, M.D., Thorpe, P.A., Hu, J. and Dickinson, W.J.
Molecular organization of the alcohol dehydrogenase loci of *Drosophila grimshawi* and *Drosophila hawaiiensis* (181) 51

Carter, N., see Gerth, U. (181) 77
Chapman, K.E., see Voice, M.W. (181) 233
Chen, Y. and Roxby, R.
Characterization of a *Phytophthora infestans* gene involved in vesicle transport (181) 89
Cheng, H., see Bjerknes, M. (181) 7
Cho, G., see Mochizuki, N. (181) 39
Cisneros, B., Court, D., Sanchez, A. and Montañez, C.
Point mutations in a transcription terminator, λ*tI*, that affect both transcription termination and RNA stability (181) 127
Coates, D., see Taylor, C.A.M. (181) 191
Court, D., see Cisneros, B. (181) 127
Cox, R.A., see Zhu, Y. (181) 121

Danilenko, V.N., see Sizova, I.A. (181) 13
Dewey, M.J., see Xie, D. (181) 173
Dickinson, W.J., see Brennan, M.D. (181) 51
Dottin, R.P., see Folk, P. (181) 229
Drlica, K., see Wang, J.-Y. (181) 117
Dubbink, H.J., see Wösten, M.M.S.M. (181) 109

Eichel-Streiber, C. von, see Braun, V. (181) 29
Elkebbaj, M.S., see Soukri, A. (181) 139
Emmerson, P.T., see Gerth, U. (181) 77

Felder, M.R., see Xie, D. (181) 173
Folk, P., Půta, F., Krpejšová, L., Blahůšková, A., Markoš, A., Rabino, M. and Dottin, R.P.
The homolog of chromatin binding protein Bx42 identified in *Dictyostelium* (181) 229
Frolova, O.N., see Sizova, I.A. (181) 13
Fu, H., see Tsurushita, N. (181) 219

Gerth, U., Wipat, A., Harwood, C.R., Carter, N., Emmerson, P.T. and Hecker, M.
Sequence and transcriptional analysis of *clpX*, a class-III heat-shock gene of *Bacillus subtilis* (181) 77
Gibson, D.T., see Parales, J.V. (181) 57
Giguère, V., see Medvedev, A. (181) 199
Golightly, E.J., see Yaver, D.S. (181) 95

Hafid, N., see Soukri, A. (181) 139
Harwood, C.R., see Gerth, U. (181) 77
Hecker, M., see Gerth, U. (181) 77
Hirose, T., see Medvedev, A. (181) 199
Homerová, D., see Kormanec, J. (181) 19
Hosokawa, Y., see Yang, M. (181) 153
Hosokawa, Y., see Tsuboyama, N. (181) 161
Hu, J., see Brennan, M.D. (181) 51
Hundsberger, T., see Braun, V. (181) 29

Ikeda, M., Arai, K.-i. and Masai, H.
A fusion protein library: an improved method for rapid screening and characterization of DNA binding or interacting proteins (181) 167
Insel, P.A., see Mochizuki, N. (181) 39

Jacob, B., see Węgleńska, A. (181) 85
Jetten, A.M., see Medvedev, A. (181) 199
Johnston, S.A., see Bauer, V.W. (181) 63

Kanegae, Y., Takamori, K., Sato, Y., Lee, G., Nakai, M. and Saito, I.
Efficient gene activation system on mammalian cell chromosomes using recombinant adenovirus producing Cre recombinase (181) 207
Kaneko, S., see Yang, M. (181) 153
Kawai, S., see Ogasa, H. (181) 185
Khramtsov, N.V., see Blunt, D.S. (181) 221
Kim, L., Mogk, A. and Schumann, W.
A xylose-inducible *Bacillus subtilis* integration vector and its application (181) 71

Kodama, H., see Tsuboyama, N. (181) 161
Koide, T., see Tsuboyama, N. (181) 161
Kormanec, J., Homerová, D., Potúčková, L., Nováková, R. and Rezuchová, B.
Differential expression of two sporulation specific σ factors of *Streptomyces aureofaciens* correlates with the developmental stage (181) 19
Koyama, Y. and Ohmori, H.
Nucleotide sequence of the *Escherichia coli solA* gene encoding a sarcosine oxidase-like protein and characterization of its product (181) 179
Krpejšová, L., see Folk, P. (181) 229
Kumar, A., see Parales, J.V. (181) 57
Kuno, T., see Oishi, K.-i. (181) 45
Kurihara, Y., see Nirasawa, S. (181) 225

Lapina, T.V., see Sizova, I.A. (181) 13
Lee, G., see Kanegae, Y. (181) 207
Leukel, P., see Braun, V. (181) 29

Magee, D.M., see Zhu, Y. (181) 121
Markoš, A., see Folk, P. (181) 229
Masai, H., see Ikeda, M. (181) 167
Masuda, Y., see Nirasawa, S. (181) 225
Matsumoto, A., see Tsuboyama, N. (181) 161
Medvedev, A., Yan, Z.-H., Hirose, T., Giguère, V. and Jetten, A.M.
Cloning of a cDNA encoding the murine orphan receptor RZR/RORγ and characterization of its response element (181) 199
Merrick, M.J., see Reizer, J. (181) 103
Mochizuki, N., Cho, G., Wen, B. and Insel, P.A.
Identification and cDNA cloning of a novel human mosaic protein, LGN, based on interaction with $G_{\alpha i2}$ (181) 39
Mogk, A., see Kim, L. (181) 71
Montañez, C., see Cisneros, B. (181) 127
Montelone, B.A., see Blunt, D.S. (181) 221
Murata, H., see Ogasa, H. (181) 185

Nakai, M., see Kanegae, Y. (181) 207
Nakashima, K., see Yang, M. (181) 153
Nakaya, K., see Nirasawa, S. (181) 225
Nakazawa, A., see Ogasa, H. (181) 185
Narasimhan, P., see Xie, D. (181) 173
Nirasawa, S., Masuda, Y., Nakaya, K. and Kurihara, Y.
Cloning and sequencing of a cDNA encoding a heat-stable sweet protein, mabinlin II (181) 225
Noma, T., see Ogasa, H. (181) 185
Nováková, R., see Kormanec, J. (181) 19

Ogasa, H., Noma, T., Murata, H., Kawai, S. and Nakazawa, A.
Cloning of a cDNA encoding the human transforming growth factor-β type II receptor: heterogeneity of the mRNA (181) 185
Ohmori, H., see Koyama, Y. (181) 179
Oishi, K.-i., Sugiura, R., Shuntoh, H. and Kuno, T.
Cloning and characterization of *hsc1* $^{+}$, a heat shock cognate gene of the fission yeast *Schizosaccharomyces pombe* (181) 45
Oka, J., see Tsuboyama, N. (181) 161

Parales, J.V., Kumar, A., Parales, R.E. and Gibson, D.T.
Cloning and sequencing of the genes encoding 2-nitrotoluene dioxygenase from *Pseudomonas* sp. JS42 (181) 57
Parales, R.E., see Parales, J.V. (181) 57
Paul, J., see Azam, A. (181) 113
Plunkett, G. III, see Reizer, J. (181) 103
Potúčková, L., see Kormanec, J. (181) 19
Prasad, J., see Azam, A. (181) 113
Pûta, F., see Folk, P. (181) 229

Qiu, L., see Wang, J.-Y. (181) 117

Rabino, M., see Folk, P. (181) 229
Ray, K., see Wang, W. (181) 1
Reifenrath-Biesel, B. and Abken, H.
In vitro display of DNA elements that modulate the RNA transcription *in cis* or *in trans* directions (181) 135
Reizer, A., see Reizer, J. (181) 103
Reizer, J., Reizer, A., Merrick, M.J., Plunkett, G. III, Rose, D.J. and Saier, M.H. Jr.
Novel phosphotransferase-encoding genes revealed by analysis of the *Escherichia coli* genome: a chimeric gene encoding an Enzyme I homologue that possesses a putative sensory transduction domain (181) 103
Rezuchová, B., see Kormanec, J. (181) 19
Rose, D.J., see Reizer, J. (181) 103
Roxby, R., see Chen, Y. (181) 89

Saier, M.H. Jr., see Reizer, J. (181) 103
Saito, I., see Kanegae, Y. (181) 207
Sanchez, A., see Cisneros, B. (181) 127
Sato, A., see Asayama, M. (181) 213
Sato, Y., see Kanegae, Y. (181) 207
Sauerborn, M., see Braun, V. (181) 29
Schumann, W., see Kim, L. (181) 71
Seckl, J.R., see Voice, M.W. (181) 233
Sehgal, D., see Azam, A. (181) 113
Sekiguchi, J., see Yamamoto, H. (181) 147
Serrano, A., see Soukri, A. (181) 139
Shirai, M., see Asayama, M. (181) 213
Shirras, A.D., see Taylor, C.A.M. (181) 191
Shuntoh, H., see Oishi, K.-i. (181) 45
Sirko, A., see Węgleńska, A. (181) 85
Sizova, I.A., Lapina, T.V., Frolova, O.N., Alexandrova, N.N., Akopiants, K.E. and Danilenko, V.N.
Stable nuclear transformation of *Chlamydomonas reinhardtii* with a *Streptomyces rimosus* gene as the selective marker (181) 13
Soukri, A., Valverde, F., Hafid, N., Elkebbaj, M.S. and Serrano, A.
Occurrence of a differential expression of the glyceraldehyde-3-phosphate dehydrogenase gene in muscle and liver from euthermic and induced hibernating jerboa (*Jaculus orientalis*) (181) 139
Sugiura, R., see Oishi, K.-i. (181) 45
Swaffield, J.C., see Bauer, V.W. (181) 63

Takahashi, H., see Asayama, M. (181) 213
Takamori, K., see Kanegae, Y. (181) 207
Tanaka, K., see Asayama, M. (181) 213
Tanaka, M., see Yang, M. (181) 153
Taylor, C.A.M., Coates, D. and Shirras, A.D.
The *Acer* gene of *Drosophila* codes for an angiotensin-converting enzyme homologue (181) 191
Thorpe, P.A., see Brennan, M.D. (181) 51
Totani, M., see Tsuboyama, N. (181) 161
Tsuboyama, N., Hosokawa, Y., Totani, M., Oka, J., Matsumoto, A., Koide, T. and Kodama, H.
Structural organization and tissue-specific expression of the gene encoding rat cysteine dioxygenase (181) 161
Tsurushita, N., Fu, H. and Berg, E.L.
PCR cloning of the cDNA encoding baboon L-selectin (181) 219

Uchiyama, S., see Yamamoto, H. (181) 147
Upton, S.J., see Blunt, D.S. (181) 221

Valverde, F., see Soukri, A. (181) 139
Voice, M.W., Seckl, J.R. and Chapman, K.E.
The sequence of 5′ flanking DNA from the mouse 11β-

hydroxysteroid dehydrogenase type 1 gene and analysis of putative transcription factor binding sites (181) 233

Wang, J.-Y., Qiu, L. and Drlica, K.
Hammerhead ribozyme structure probed by cell extracts (181) 117
Wang, W., Acland, G.M., Aguirre, G.D. and Ray, K.
Cloning and characterization of the cDNA and gene encoding the γ-subunit of cGMP-phosphodiesterase in canine retinal rod photoreceptor cells (181) 1
Węgleńska, A., Jacob, B. and Sirko, A.
Transcriptional pattern of *Escherichia coli ihfB* (*himD*) gene expression (181) 85
Wipat, A., see Gerth, U. (181) 77
Wösten, M.M.S.M., Dubbink, H.J. and van der Zeijst, B.A.M.
The *aroA* gene of *Campylobacter jejuni* (181) 109

Xie, D., Narasimhan, P., Zheng, Y.-W., Dewey, M.J. and Felder, M.R.
Ten kilobases of 5′-flanking region confers proper regulation of the mouse alcohol dehydrogenase-1 (*Adh-1*) gene in kidney and adrenal of transgenic mice (181) 173

Yamamoto, H., Uchiyama, S. and Sekiguchi, J.
The *Bacillus subtilis* chromosome region near 78° contains the genes encoding a new two-component system, three ABC transporters and a lipase (181) 147
Yan, Z.-H., see Medvedev, A. (181) 199
Yang, C., see Zhu, Y. (181) 121
Yang, M., Hosokawa, Y., Kaneko, S., Tanaka, M. and Nakashima, K.
Structure and characterization of rat cyclin *D3* promoter (181) 153
Yaver, D.S. and Golightly, E.J.
Cloning and characterization of three laccase genes from the white-rot basidiomycete *Trametes villosa*: genomic organization of the laccase gene family (181) 95

Zeijst, B.A.M.v.d., see Wösten, M.M.S.M. (181) 109
Zheng, Y.-W., see Xie, D. (181) 173
Zhu, Y., Yang, C., Magee, D.M. and Cox, R.A.
Coccidioides immitis Antigen 2: analysis of gene and protein (181) 121